

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER  
OF USE AND PLACE OF USE OF THE PUBLIC WATERS  
OF THE STATE OF NEVADA HERETOFORE APPROPRIATED**

THIS SPACE FOR OFFICE USE ONLY

Date of filing in State Engineer's Office OCT 18 2019

Returned to applicant for correction \_\_\_\_\_

Corrected application filed \_\_\_\_\_ Map filed Feb. 14, 2006 Under 73527The applicant Pahrump Utility Company, Inc.5250 S. Hafen Ranch Rd.of Pahrump

Street Address or PO Box

City or Town

Nevada 89061-7502gth2@pucihafen.com

State and ZIP Code

E-mail Address

hereby make(s) application for permission to change the

☒ Point of diversion☐ Place of use☒ Manner of use

of water heretofore appropriated under (Identify existing rights by Permit, Certificate, Proof or Claim Nos. If Decreed, title of Decree and identify right in Decree.)

Permit 80282

RECEIVED  
OCT 18 PM 3:00  
STATE ENGINEER'S OFFICE

1. The source of water is underground - PUCI Well #1

Name of stream, lake, underground, spring or other sources

2. The amount of water to be changed 0.0070 c.f.s. not to exceed 4.376 acre-feet annually

Give diversion rate in cubic feet per second (CFS) AND duty in acre-feet annually (AFA).

3. The water to be used for Municipal

Irrigation, power, mining, commercial, etc. If for stock, state number and kind of animals. Must limit to one major use

4. The water heretofore used for Quasi-municipal

If for stock, state number and kind of animals.

5. The water is to be diverted at the following point (Describe as being within a 40-acre subdivision of public survey and by course and distance to a found section corner. If on unsurveyed land, it should be stated )

within the SW 1/4 SE 1/4 Section 3, T. 21 S., R. 54 E., M.D.M., or at a point from which the South 1/4 corner of said Section 3 bears South 79° 30' West, a distance of 657.00 feet. (PUCI Well #1)Refer to supporting map on file under Application 73527.

6. The existing point of diversion is located within (If point of diversion is not changed, do not answer.)

the SE 1/4 SE 1/4 Section 16, T. 21 S., R. 54 E., M.D.M., or at a point from which the Southeast corner of said Section 16 bears South 04° 40' East, a distance of 1,152 feet. (PUCI Well #6)Refer to supporting map on file under Application 73527.

10-162  
Nye

7. Proposed place of use (Describe by legal subdivisions. If for irrigation, state number of acres to be irrigated.)

No Change. Within:

T. 21S., R. 53E., M.D.M., All of Sections 12, 13, and 24;

T. 21S., R. 54E., M.D.M., S½ Section 3, portion of SE¼ SE¼ Section 4; all of Sections 7, 8, 9, & 10, portion of the NW¼ NW¼ Section 11 north of State Hwy. 160; all of Sections 15, 16, 17, 18, 19, 20, 21, and 28.

Refer to supporting map on file under Application 75690.

8. Existing place of use (Describe by legal subdivisions. If changing place of use and/or manner of use of irrigation permit, describe acreage to be removed from irrigation.)

Within:

T. 21S., R. 53E., M.D.M., All of Sections 12, 13, and 24;

T. 21S., R. 54E., M.D.M., S½ Section 3, portion of SE¼ SE¼ Section 4; all of Sections 7, 8, 9, & 10, portion of the NW¼ NW¼ Section 11 north of State Hwy. 160; all of Sections 15, 16, 17, 18, 19, 20, 21, and 28.

Refer to supporting map on file under Application 75690.

9. Proposed use will be from January 1 to December 31 of each year.  
Month and Day Month and Day

10. Existing use permitted from January 1 to December 31 of each year.  
Month and Day Month and Day

11. Description of proposed works. (Under the provision of NRS 535.010 you may be required to submit plans and specifications of your diversion or storage works.) (State manner in which water is to be diverted, i.e., diversion structure, ditches, pipes and flumes or drilled well, pump and motor, etc.)

Existing drilled well with pump, motor, meter, pressure tanks, and underground municipal distribution system.

12. Estimated cost of works in excess of \$300,000

13. Estimated time required to construct works Refer to W/L # 12039, reconditioned under W/L #101783.  
If well completed, describe well

14. Estimated time required to complete the application of water to beneficial use 10 years

15. Provide a detailed description of the proposed project and its water usage (use attachments if necessary): (Failure to provide a detailed description may cause a delay in processing.)

This Application will move municipal water within the Utility water system to better balance well capacity, system demands and pumpage requirements.

16. Miscellaneous remarks:

rciwater@rci-nv.com

E-mail Address

(775) 883-1600

Phone No.

4162

Ext

APPLICATION MUST BE SIGNED  
BY THE APPLICANT OR AGENT

Bruce R. Scott, P.E.

Type or print name clearly

Signature, applicant or agent

Resource Concepts, Inc.

Company Name

340 N. Minnesota Street

Street Address or PO Box

Carson City, NV 89703

City, State, ZIP Code